



10 OCT 20 P1:29
STATE PROCUREMENT OFFICE
NOTICE & REQUEST FOR SOLE SOURCE
 STATE PROCUREMENT OFFICE
 STATE OF HAWAII

1. TO: Chief Procurement Officer
2. FROM: Transportation/Airports Division/Engineering Branch
 Department/Division/Agency

Pursuant to HRS §103D-306 and HAR Chapter 3-122, Subchapter 9, the Department requests sole source approval to purchase the following:

3. Description of goods, services, or construction:
 The maintenance of the noise monitoring system for Honolulu International Airport (HNL) and Hilo International Airport (ITO) is essential for the Department of Transportation, Airports Division (DOTA) to monitor aircraft noise generated from HNL and ITO and to maintain the data to respond to noise complaints and to validate the Noise Exposure Maps generated in compliance with Federal Aviation Administration regulations. The maintenance of the noise monitoring operating system is of the computer server and operating system at HNL and ITO and the operating system server in Melbourne, Australia. Also, there are a total of 23 monitors, recorders and microphones the will also have to be maintained and calibrated. Sixteen (16) located on sites on and in the proximity of HNL, six (6) located on sites on and in the proximity of ITO and one (1) portable unit. The maintenance includes the replacement or repair of defective noise recording equipment, microphones, solar panels, solar energy system, cell phone modems, and telephone and electrical lines. DOTA also requests approval for multi-term (3-year) contract in accordance with Section 3-122-149, HAR.

4. Vendor Name: Bruel & Kjaer EMS, Inc. Address: 1050 Fulton Ave., Suite 213 Sacramento, CA 95825	5. Price: <u>\$150,000/year</u>
6. Term of Contract: (mm/dd/yyyy) From: <u>10/18/10</u> To: <u>10/17/13</u>	7. Prior Sole Source Ref No. <u>07-078-C</u>

8. Feature: The good, service, or construction has the following unique features, characteristics, or capabilities:
 The operating system, software, noise monitors, microphones and recorders for the 22 sites and 1 portable unit are the proprietary property of Bruel & Kjaer EMS, Inc. (formerly Lochar, Inc.) It would be difficult for any other firm to provide the repair and replacement of Bruel & Kjaer's unique equipment and the maintenance of the operating system server which is located in Melbourne, Australia.

9. Essential features. How the unique features, characteristics, or capabilities are essential for the agency to accomplish its work:
 Bruel & Kjaer EMS, Inc. has the proprietary rights to the operating system, software, noise monitors and other equipment accessories which comprise the noise monitoring system. The maintenance of the noise monitoring system is critical to provide the Department of Transportation the noise data to respond to the public's complaints of aircraft noise levels in communities on Oahu and Hawaii.

11. Alternate source. The following other possible sources for the good, service, or construction were investigated but do not meet our needs because:
Due to the proprietary nature of the operating system, competitive means of procurement is not possible.

12. Direct any inquiries to:
Department: Transportation
Contact Name/Title: Benton Ho/Facilities Engineer

13 Phone Number:
838-8804
Fax Number:
838-8751

Expenditure may be processed with a purchase order/pCard: Yes No
If no, a contract must be executed and funds certified.

Agency shall ensure adherence to applicable administrative and statutory requirements, including HAR Chapter 3-122, Subchapter 15, Cost or Pricing Data, if required.

14 *I certify that the information provided above is to the best of my knowledge, true, correct and that the goods, services, or construction are available through only one source.*


Department Head Signature

10-15-10
Date

Reserved for CPO Use Only


15 Date Notice Posted: 10-21-10

Submit written objections to this notice to issue a sole source contract within seven calendar days or as otherwise allowed from the above posted date to: Chief Procurement Officer
State Procurement Office
P.O. Box 119
Honolulu, Hawaii 96810-0119

16. Chief Procurement Officer's comments:

The department has withdrawn this request as they have determined that this procurement may be procured pursuant to HAR §2-122-81, #4 and #6.

17. APPROVED DISAPPROVED NO ACTION REQUIRED


Chief Procurement Officer

4/18/2011
Date